APPLICATION INSTRUCTIONS FOR ANTISLIP

These instructions are a guideline, for a more explicit example please watch the video

1. Prepare the tools

- A roller
- A needle
- A cloth
- Alcohol spray / cleaning product
- Product 3M Primer 94
- Brush

Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland
Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

2. Clean the application surfaces

3. Apply the Primer (one single layer), wait for 10 min minimum.



10-15 min

Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland

Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

4. *Prepare the antislip*



5. *Make a 4cm fold, flip it, and place it correctly on the form*





Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland

Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

6. *Past it correctly with hand following the forms and lines*



Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland

Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

7. Apply using the roller



8. Remove the sheet taking each sides with both hands



Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland

Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

9. Apply using the roller



10. Repeat the steps 7 + 8 until the middle of the top



11. At the middle, take off the fold by the bottom then apply using the roller





Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland
Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

12. Remove the fold and apply using the roller. Repeat it until the end of the surface




13. At the end of the surface, break the ankle using a roller

14. Apply it on the little surface with finger

15. Apply using the roller to past it correctly




Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland

Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

16. Apply correctly using the roller following the all lines of the form



17. Apply with the roller on the whole surface



Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland
Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP

18. *If you find air bubbles, use the needle and press with the finger to get the air out*

19. *You can use the same instructions to apply the antislip on the footrest*

Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland

Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP






Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland
Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP







Swiss Timing LTD
P.O. Box 138, Rue de l'Envers 1
CH-2606 Corgémont - Switzerland

Phone +41 32 488 36 11
info@swisstiming.com
www.swisstiming.com

A COMPANY OF THE SWATCH GROUP